Key Switches, Medium Security

MATERIAL SPECIFICATIONS

Contacts .....Silver
Cylinder Material.....Zinc alloy
Lock Body .....Zinc alloy
Key Material .....Brass
Terminals/Fixed Contacts ...Screw type
Beveled Frame Finish .....302 Stainless steel

ENVIRONMENTAL SPECIFICATIONS

Solder Heat Resistance .....See page M3-4

TYPICAL PERFORMANCE CHARACTERISTICS

Contact Rating .....1A at 120 VAC resistive
Initial Contact Resistance.....50 Milliohms max.
Contact Timing.....Non-shorting
Plunger/Actuator Travel .....90°
Key Changes .....25 Standard
Life Expectancy .....Up to 10,000 Cycles


NOTE: All Keylocks are supplied with 2 brass keys on a ring.


SPST


5 Disc Tumblers




2SWK131









Part Number						Part Number					
Tyco Electronics	Alcoswitch	Type	Pos. 1	Pos. 2	Remove Key	Tyco Electronics	Alcoswitch	Type	Pos. 1	Pos. 2	Remove Key
1-1437597-7	2SWK131AL101	SPST	Off	On	Position 1	2-1437597-7	2SWK231AL101	SPST	Off	(On)	Position 1
2-1437597-3	2SWK132AL101	SPST	Off	On	Position 1 or 2	4-1437597-3	SWK1323AL101	Spare Key for SWK Series (On) indicates momentary position.			

Catalog 1308390
Issued 9-04
www.tycoelectronics.com

Dimensions are in inches and millimeters unless otherwise specified. Values in parentheses or brackets are metric equivalents.

Dimensions are shown for reference purposes only. Specifications subject to change.

USA: 1-800-522-6752
Canada: 1-905-470-4425
Mexico: 01-800-733-8926
C. America: 52-55-5-729-0425
South America: 55-11-3611-1514
Hong Kong: 852-2735-1628
Japan: 81-44-844-8013
UK: 44-141-810-8967

2 Position Key Switch

MATERIAL SPECIFICATIONS

Contacts ..... Gold or silver plate
Cylinder Material ..... Zinc alloy
Lock Body ..... Zinc alloy
Key Material ..... Brass
Terminals/Fixed Contacts ..... Tin lead plate
Terminal Seal ..... SP epoxy

ENVIRONMENTAL SPECIFICATIONS


Operating Temperature ..... -30°C to +85°C (-22°F to +185°F)
Storage Temperature ..... -30°C to +85°C (-22°F to +185°F)
Solder Heat Resistance ..... See page M3-4

TYPICAL PERFORMANCE CHARACTERISTICS

Contact Rating ..... Gold: 0.4 VA max. @ 20 VDC or peak AC
Silver: 3A @ 125 VAC or 28 VDC resistive
Initial Contact Resistance ..... 20 Milliohms max.
Contact Timing ..... Non-shorting
Insulation Resistance ..... 1,000 Megohms @ 500 VDC min.
Dielectric Strength ..... 1,000 Volts @ sea level
Actuator Travel ..... 80°

Note: All keylocks are supplied with 2 brass keys on a ring.

SPDT/DPDT
4 Disc Tumblers





SKT131

Tyco Electronics	Alcoswitch	Type	⊕	⊖	Remove Key	Contacts
1437598-4	SKT131AEL01	SPDT	On	On	1 Only	Silver
1437598-5	SKT131GAEL01	SPDT	On	On	1 Only	Gold
1437598-7	SKT132AEL01	SPDT	On	On	1 or 2	Silver
1437598-8	SKT132GAEL01	SPDT	On	On	1 or 2	Gold
1437598-9	SKT331AEL01	DPDT	On	On	1 Only	Silver
1-1437598-0	SKT331GAEL01	DPDT	On	On	1 Only	Gold
1-1437598-1	SKT332AEL01	DPDT	On	On	1 or 2	Silver
1-1437598-3	SKT332GAEL01	DPDT	On	On	1 or 2	Gold
3-1437598-4	SK1323AEL01	Spare key for SKT13 Series				

Catalog 1308390
Issued 9-04
www.tycoelectronics.com

Dimensions are in inches and millimeters unless otherwise specified. Values in parentheses or brackets are metric equivalents.

Dimensions are shown for reference purposes only. Specifications subject to change.

USA: 1-800-522-6752
Canada: 1-905-470-4425
Mexico: 01-800-733-8926
C. America: 52-55-5-729-0425
South America: 55-11-3611-1514
Hong Kong: 852-2735-1628
Japan: 81-44-844-8013
UK: 44-141-810-8967

Medium Security Key Switch

MATERIAL SPECIFICATIONS

Contacts ……Silver
Cylinder Material ……Zinc alloy
Lock Body ……Zinc alloy
Key Material ……Brass
Terminals/Fixed Contacts …Screw type
Beveled Frame Finish ……Brushed chrome

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature ……-22°F + 185° F (-30°C to +85°C(
Storage Temperature ……-22°F + 185° F (-30°C to +85°C)
Solder Heat Resistance ……See page M3-4

TYPICAL PERFORMANCE CHARACTERISTICS

Contact Rating……1 A @ 120 VAC resistive
Initial Contact Resistance …50 Milliohms max.
Contact Timing ……Non-shorting
Actuator Travel ……90°
Key Changes ……10 Standard
Life Expectancy ……Up to 10,000 Cycles


NOTE: All Keylocks are supplied with 2 brass keys on a ring.


SPST


4 Disc Tumblers




SKF131









Tyco Eelctronics	Alcoswitch	Type	Pos. 1	Pos. 2	Remove Key
1437597-1	2SKF131AEL01	SPST	Off	On	Position 1
1437597-7	2SKF132AEL01	SPST	Off	On	Position 1 or 2
1-1437597-0	2SKF133AEL01	SPST	On	Off	Position 1

Tyco Eelctronics	Alcoswitch	Type	Pos. 1	Pos. 2	Remove Key
1-1437597-1	2SKF231AEL01	SPST	Off	(On)	Position 1
3-1437597-4	SK1323AEL01	Spare key for SK Series (On) indicates momentary position.			

H

SKF Series

Catalog 1308390
Issued 9-04
www.tycoelectronics.com

Dimensions are in inches and millimeters unless otherwise specified. Values in parentheses or brackets are metric equivalents.

Dimensions are shown for reference purposes only. Specifications subject to change.

USA: 1-800-522-6752
Canada: 1-905-470-4425
Mexico: 01-800-733-8926
C. America: 52-55-5-729-0425
South America: 55-11-3611-1514
Hong Kong: 852-2735-1628
Japan: 81-44-844-8013
UK: 44-141-810-8967

High Security Key Switch

MATERIAL SPECIFICATIONS

Contacts .....Silver
Cylinder Material .....Zinc alloy
Lock Body .....Zinc alloy
Actuator Material .....Brass key
Terminals/Fixed Contacts.....Screw type
Beveled Frame Finish .....Polished chrome

ENVIRONMENTAL SPECIFICATIONS


Operating Temperature.....-22°F to +185° (-30°C to +85°C)
Storage Temperature .....-22°F to +185° (-30°C to +85°C)
Solder Heat Resistance.....See page M3-4


TYPICAL PERFORMANCE CHARACTERISTICS

Contact Rating .....5A @ 115 VAC, 15A @ 24 VDC
..... resistive
Initial Contact Resistance ...50 Milliohms max.
Contact Timing .....Non-shorting
Dielectric Strength .....1,000 VAC @ sea level
Actuator Travel .....90°
Key Changes .....25 Standard
Life Expectancy .....Up to 20,000 Cycles

NOTE: All Keylocks are supplied with 2 brass keys on a ring.

SPST
8 Disc Tumblers







SWK12

Tyco Electronics	Alcoswitch	Type	Pos. 1	Pos. 2	Remove Key
4-1437597-0	SWK12F315	SPST	On	Off	Position 1 or 2
3-1437597-6	SWK121F315	SPST	On	Off	Position 2
3-1437597-8	SWK123F315	SPST	On	Off	Position 1
4-1437597-2	SWK12KF315	Spare key for SWK12 Series			

Catalog 1308390
Issued 9-04
www.tycoelectronics.com

Dimensions are in inches and millimeters unless otherwise specified. Values in parentheses or brackets are metric equivalents.

Dimensions are shown for reference purposes only. Specifications subject to change.

USA: 1-800-522-6752
Canada: 1-905-470-4425
Mexico: 01-800-733-8926
C. America: 52-55-5-729-0425
South America: 55-11-3611-1514
Hong Kong: 852-2735-1628
Japan: 81-44-844-8013
UK: 44-141-810-8967

TradeElectronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Trade Electronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

Перечень производителей, продукцию которых мы поставляем на российский рынок



Trade Electronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

http://www.tradeelectronics.ru/