

[illegible]

SECTION T-T

HOUSING

POST, TYP

6.10 TYP
[.240]

2.54
[.100]
TYP

0.64±0.03
[.025±.001]
TYP

2.72
[.107]
TYP

7.34
[.289]

2.79 ±0.25 TYP
[.110±.010]
SOLDER TAIL

Ø 0.64 ±0.05
[.025±.002]
TYP

AT POST TIPS

AT POST TIPS

SEE DETAIL V

[illegible]

Technical drawing of a detail of a plate area, showing dimensions and features:

- Overall length: 5.08 MIN [.200] TYP
- Length of localized plate area: 3.81 MIN [.150] TYP
- Localized plate area: LOCALIZED PLATE AREA
- Gold flash: GOLD FLASH TYP (indicated on the right side of the plate area)
- Gold flash: GOLD FLASH TYP (indicated on the bottom edge of the plate area)
- Length of gold flash area: 1.27 [.050] MAX TYP


DETAIL V
SCALE 10:1

The drawing includes the following dimensions and tolerances:

- Top View Dimensions:**
 - Overall width: 2.54 [.100] 2 PLC
 - Overall height: 3.73 [.147] 2 PLC
 - Distance from top edge to center of mounting hole: 1.57 [.062] TYP
 - Distance from center of mounting hole to edge: 8.89 [.350]
 - Distance from center of mounting hole to center of component area: 15.37 [.605] 2 PLC
 - Distance from center of component area to edge: 8.89 [.350] 2 PLC
 - Distance from center of component area to center of mounting hole: 1.52 [.060]
 - Distance from center of mounting hole to center of component area: 2.54 [.100] TYP
 - Distance from center of component area to edge: 2.69 [.106] 2 PLC
 - Distance from center of component area to edge: 0.89 ± 0.08 TYP [.035 ± .003] 2 PLC
- Side View (VIEW S-S) Dimensions:**
 - Overall width: 2.54 [.100] 2 PLC
 - Overall height: 3.73 [.147] 2 PLC
 - Distance from top edge to center of mounting hole: 1.57 [.062] TYP
 - Distance from center of mounting hole to edge: 8.89 [.350]
- Other Dimensions:**
 - Distance from center of mounting hole to center of component area: 15.37 [.605] 2 PLC
 - Distance from center of component area to edge: 8.89 [.350] 2 PLC
 - Distance from center of component area to center of mounting hole: 1.52 [.060]
 - Distance from center of mounting hole to center of component area: 2.54 [.100] TYP
 - Distance from center of component area to edge: 2.69 [.106] 2 PLC
 - Distance from center of component area to edge: 0.89 ± 0.08 TYP [.035 ± .003] 2 PLC

RECOMMENDED
PC BOARD
MOUNTING DIMENSIONS
SCALE 2:1

SEE SHEET 2 FOR TABLE & NOTES

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DIN 01-07-05 L. VARELA — DOCK5 CHK 01-07-05 S. BOLASH APVD M. WALMSLEY 01-07-05		 TE Connectivity	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		PRODUCT SPEC 108-40018 APPLICATION SPEC —		HEADER ASSY, UNIVERSAL, AMP—LATCH —	
MATERIAL		FINISH		SIZE	CAGE CODE
				DRAWING NO A1 00779	DRAWING NO C=5499160
WEIGHT		—		RESTRICTED TO	
CUSTOMER DRAWING		SCALE		4:1 SHEET 1 of 2 REV F	



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.



Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>