

MATERIAL:

CAGE:
COPPER ALLOY

PLATING OPTION Y=2:
2.54um MIN. NICKEL

PLATING OPTION Y=3:
3.81um MIN. MATTE TIN
OVER 1.27um MIN. NICKEL.

LIGHT PIPE:
CLEAR POLYCARBONATE

BRACKET FOR LIGHT PIPE:
STAINLESS STEEL

PACKAGING:
TRAY PACKAGING

TEMPERATURE RANGE:
-40C TO +85C

LIGHT PIPE KIT
(P/N: U77-1663-2010P)
(IF ORDER SEPARATELY)

SFP+PRESS FIT CAGE
(P/N U77-A661M-X081)
(IF ORDER SEPARATELY)

LIGHT PIPE KIT
(P/N: U77-1263-2010P)
(IF ORDER SEPARATELY)

SFP+PRESS FIT CAGE
(P/N U77-A261M-X081)
(IF ORDER SEPARATELY)

P/N: U77-C661M-X081 SHOWN

AMPHENOL PART NUMBER CONFIGURATION

U77 - C X 6 1 M - Y 0 8 1

PACKAGING
1 = TRAY PACKAGING

PLATING
2 = NICKEL PLATING
3 = MATTE TIN PLATING

NUMBER OF PORTS
2 = 2 PORTS
4 = 4 PORTS
6 = 6 PORTS

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE
OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

REVISIONS

REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	




LIGHT PIPE KIT
(P/N: U77-1463-2010P)
(IF ORDER SEPARATELY)

SFP+PRESS FIT CAGE
(P/N U77-A461M-X081)
(IF ORDER SEPARATELY)





P/N: U77-C461M-X081 SHOWN

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN Jane.Z	MAR13/09	TITLE	
MATERIAL AND FINISH SEE NOTE 1		CHECKED J.SI	MAR25/09	1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE	
REF.		QA APPD		SIZE A3	DWG. NO. P-U77-CX61M-X081
CODE IDENT. NO. 03554		IE APPD		SCALE 3:2	PROJECT
		DWG APPD A.G	MAR25/09		SHEET 1 OF 11



PART NUMBER	DIM "C"	DIM "D"
U77-C261M-X081	29.70	31.00
U77-C461M-X081	58.20	59.50
U77-C661M-X081	86.70	88.00


REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS		DATE	Amphenol Canada Corp.		
		DRAWN	Jane.Z	MAR13/09			
		DESIGNED			1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE		
		CHECKED	J.SI	MAR25/09			
MATERIAL AND FINISH SEE NOTE 1		QA APPD			SIZE A3		
REF.		IE APPD					
CODE IDENT. NO. 03554		DWG APPD A.G		MAR25/09	SCALE 2:1	PROJECT	SHEET 4 OF 11



REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	


NOTE:
PANEL CUTOUT SIZES PER SFF 8433 SPEC. FOR BELLY TO BELLY MOUNTING, DIM "E" (PCB THICKNESS) IS 3.0 mm MIN. DIM "F" RELATED TO DIM "E". FOR DIM "F" = DIM "E" - 0.44 mm. THE PANEL CUTOUT 10.40 mm MIGHT BE INCREASED UP TO 10.80 mm IN ORDER TO ACCOMMODATE PCB TOLERANCE.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS		DATE	Amphenol Canada Corp.		
		DRAWN	Jane.Z	MAR13/09			
		DESIGNED			1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE		
		CHECKED	J.SI	MAR25/09			
MATERIAL AND FINISH SEE NOTE 1		QA APPD			SIZE A3 DWG. NO. P-U77-CX61M-X081 REV. C		
REF.		IE APPD					
CODE IDENT. NO. 03554		DWG APPD A.G		MAR25/09	SCALE 2:1	PROJECT	SHEET 5 OF 11

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

		REVISIONS		
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	



(ϕ 1.05) —

DETAIL C
SCALE 4 : 1


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.			
DECIMALS X.X ± 0.38 X.XX ± 0.25		ANGLES ± 1°		DRAWN Jane.Z		MAR13/09		TITLE	
MATERIAL AND FINISH SEE NOTE 1		CHECKED J.SI		MAR25/09		1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE			
REF.		IE APP'D				SIZE A3		DWG. NO P-U77-CX61M-X081	
CODE IDENT. NO. 03554		DWG APP'D A.G		MAR25/09		SCALE 2:1		PROJECT	
								SHEET 6 OF 11	

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	



RECOMMENDED PCB DESIGN FOR BELLY TO BELLY MOUNTING


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS		DATE		Amphenol Canada Corp.					
		DRAWN Jane.Z		MAR13/09							
MATERIAL AND FINISH SEE NOTE 1		DESIGNED				TITLE 1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE					
		CHECKED J.SI		MAR25/09							
		QA APPD									
REF.		IE APPD				SIZE A3		DWG. NO. P-U77-CX61M-X081		REV. C	
CODE IDENT. NO. 03554		DWG APPD A.G		MAR25/09		SCALE 3:1		PROJECT		SHEET 7 OF 11	

NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	



**RECOMMENDED PCB DESIGN
FOR SINGLE SIDE MOUNTING
(P/N U77-C461M-X081)**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS		DATE	Amphenol Canada Corp.	
		DRAWN	Jane.Z	MAR13/09		
		DESIGNED			1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE	
		CHECKED	J.SI	MAR25/09		
		QA APPD				
		IE APPD				
		DWG APPD	A.G	MAR25/09	SIZE A3	DWG. NO. P-U77-CX61M-X081
					SCALE 1:1	PROJECT
						SHEET 8 OF 11

NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	



**RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS		DATE	Amphenol Canada Corp.		
		DRAWN	Jane.Z	MAR13/09			
		DESIGNED					
		CHECKED	J.SI	MAR25/09			
MATERIAL AND FINISH SEE NOTE 1		QA APPD			1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE		
REF.		IE APPD					
CODE IDENT. NO. 03554		DWG APPD A.G		MAR25/09	SIZE A3	DWG. NO. P-U77-CX61M-X081	REV. C
					SCALE 2:1	PROJECT	SHEET 9 OF 11

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES, PLATING OPTIONAL.
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	




DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS		DATE	Amphenol Canada Corp.	
		DRAWN	Jane.Z	MAR13/09		
		DESIGNED			1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE	
		CHECKED	J.SI	MAR25/09		
MATERIAL AND FINISH SEE NOTE 1		QA APPD			SIZE A3	
REF.		IE APPD				
CODE IDENT. NO. 03554		DWG APPD A.G		MAR25/09	SCALE 1:1	DWG. NO. P-U77-CX61M-X081
					PROJECT	REV. C
					SHEET	10 OF 11

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES, PLATING OPTIONAL.
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR25/09	
B		UPDATED	APR21/09	
C		B-B APPLICATIONS ADDED	MAY25/09	



**RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS		DATE	Amphenol Canada Corp.	
		DRAWN	Jane.Z	MAR13/09		
MATERIAL AND FINISH SEE NOTE 1		DESIGNED			1XN SFP+ CAGE SPRINGFINGER EMI, WITH LIGHT PIPE	
		CHECKED	J.SI	MAR25/09		
REF.		QA APPD			SIZE A3 DWG. NO. P-U77-CX61M-X081 REV. C	
		IE APPD				
CODE IDENT. NO. 03554		DWG APPD	A.G	MAR25/09	SCALE 3:2	PROJECT SHEET 11 OF 11



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>