

Software Development Tools



REAL TIME OPERATING SYSTEM

Overview

Freescale OSEKturbo OS is the leading OSEK/VDX™ Real Time Operating System (RTOS) implementation available on the market today in terms of quality and performance.

OSEKturbo fully conforms to the latest OSEK/VDX Operating System standard¹. The RTOS is fully configurable and statically defined within the CodeWarrior™ IDE environment. Only those functions that are required are included providing the user with a truly scalable RTOS.

OSEKturbo OS is available for a wide range of 8-, 16- and 32-bit embedded microprocessors. The

emphasis in the design of OSEKturbo OS was to meet demanding performance requirements, while maintaining the outstanding reputation for stability and quality (SEI CMM level 5²) established in more than five years of automotive ECU development. The result is that Freescale OSEKturbo is one of most widely used OSEK/VDX OS implementations on the market today. Although the OSEK/VDX specification was created by the automotive industry, the specification does not limit its use to automotive applications and it is increasingly being used in a wide range of embedded applications ranging from industrial control to telecom products.

Freescale OSEK tool support

Freescale offers a Builder tool for easy configuration of OSEKturbo applications. The Freescale OSEK Builder is a graphical Windows™ based application that enables the developer to easily configure a runtime system. The tool allows the developer to optimize the software to meet the specific application needs. A complete system description is generated in OSEK Implementation Language (OIL) format, allowing full portability of the application configuration. The developer may also choose to generate OS libraries from Builder.

Freescale also offers an OSEK plug-in to allow kernel-aware debugging in CodeWarrior Development Studio, enabling the developers to use the CodeWarrior IDE for the whole application development. It brings many advantages such as simplified project setup through the use of stationaries and samples. CodeWarrior tools support

Freescale's 8- to 32-bit microcontrollers reducing the number of tools that need to be re-learned for new projects on different architectures. OSEK System Generator (SysGen) is fully integrated in the build process and for the configuration of project settings. OSEK Builder can also be called as OSEK configuration editor. CodeWarrior Development Studio supports full OSEK OS kernel awareness during debugging. CodeWarrior Development Studio can also provide simulation support for development without hardware.

In addition Freescale has established strong partnerships with industry leaders providing deeper integration with a wide variety of partner tools including Model Based Simulation, Code Generation, Schedulability Analysis, popular CAN-based communications software and tools, and support for many 3rd Party OSEK kernel aware debuggers (emulators) and compilers.



Benefits

By adopting Freescale OSEKturbo and CodeWarrior Development Studio, embedded developers can:

- > Reduce software integration time and the associated costs
- > Re-use software modules among different application designs
- > Reduce maintenance costs through the use of a high-level language and common platform
- > Ensure a high-quality, stable software environment for their applications
- > Ensure a highly efficient OS with extremely small memory footprint and outstanding performance
- > Ensure an optimized, highly integrated and broadly supported development tool chain

OSEKturbo applications are written in C language using the OSEK Application Programming Interface (API) enabling portability and re-use of software.

¹ OSEK/VDX Consortium (Offene Systeme und deren Schnittstellen für die Elektronik im Kraftfahrzeug/Vehicle Distributed eXecutive) – for more information and for details on specification see: www.osek-vdx.org.


² OSEKturbo Software development team has been assessed at Capability Maturity Model (CMM) level 5 by the Software Engineering Institute (SEI) - for more information see: www.sei.cmu.edu/sei-home.html.

OSEK Real Time Operating System

OSEKturbo Performance Information

Context switch timings:

- Measurements done with Timer capture (MPC555: TB, time base register; HCS12DP256: TCNT, timer count register)
- Tasks activated consecutively, ISR that activates tasks as well
- 19 tasks, 3 ISRs, STANDARD status



OSEKturbo Performance Information

MPC555
40MHz; BCC1

HCS12DP256
8MHz; BCC1

Context switch between tasks (ActiveTask)	1.7µs	12.5µs
Terminate task with return to background task	0.9µs	6.6µs
Context switch from ISR (ActiveTask)	2.1µs	14.9µs

Typical Memory Requirements:

MPC555	HCS12DP256
Total OS ROM	2304 bytes
OS data	108 bytes
OS code	2196 bytes
Total OS RAM	466 bytes
	776 bytes
	60 bytes
	716 bytes
	90 bytes

Freescale OSEKturbo OS Products

OSEKturbo releases exist for all OS (BCC1, ECC1, BCC2, ECC2) and COM (CCCA and CCCB) conformance classes.

Supported Processors (check with your local Freescale sales office for latest list)

- > Freescale 68HC08
- > Freescale 68HC(S)12
- > Freescale MPC5xx
- > Freescale MPC5200
- > Freescale DSP56800E
- > Freescale S12X
- > Freescale MPC55xx
- > Freescale MAC7100

Technical Enhancements

- > Timescale feature that enables cyclic task activations based on efficient alarms

- > OSEKturbo highly optimized for speed and memory on each target
- > ORTI (OSEK Runtime Interface) for kernel aware debugging
- > Enhanced OSEK Builder for OIL configuration
- > Multiple scheduling policies
- > Event control for task synchronization
- > Resource management based on OSEK priority ceiling protocol
- > Counter management
- > Efficient alarm management
- > Optimal stack methods
- > Stack monitoring
- > Fast links for accessing system data structures
- > Automatic exclusion of unused system services
- > Specific hardware features such as memory bank switching and use of low

power modes, interrupt handler and Floating Point registers

- > Full internal OSEK communication for inter process communication
- > Task management for activation and termination of tasks
- > Interrupt management
- > Error handling

Benchmark configuration:

- > BCC1 with one task per priority
- > Pre-emptive Scheduling
- > No multiple activations
- > 10 basic tasks + 1 initialization task
- > 10 alarms with task activations
- > 1 16-bit (1 ms)
- > 1 ISR (in addition to system timer)
- > No messages, no resources
- > Standard status, debug level zero
- > No hooks

Learn More: For more information about Freescale products, please visit www.freescale.com/codewarrior

FREESCALE and the FREESCALE logo are trademarks of Freescale Semiconductor, Inc. CODEWARRIOR and the CODEWARRIOR logo are trademarks of Metrowerks Corp. All other product or service names are the property of their respective owners.

© Freescale Semiconductor, Inc. 2005. © Metrowerks Corp. 2005. Metrowerks is a Freescale company.
ALL RIGHTS RESERVED.

950-00048
REV B





гарантия бесперебойности производства и
качества выпускаемой продукции

О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (ХС), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок

AMD

ANALOG DEVICES

BOURNS

Coilcraft
The world's largest manufacturer of magnetic components

élan tec
Semiconductor, Inc.

HARRIS

infineon

JRC

MICREL
Innovation through Technology™

MOTOROLA

nichicon

PHILIPS

ROHM

ST SGS-THOMSON
Microelectronics

Sipex

TAIYO YUDEN

TOKO

ZILAS

Winbond
Electronics Corp.

Allegro
MicroSystems, Inc.

ATMEL

BURR - BROWN
BB

EXAR

HITACHI
Inspire the Next

intel

Lattice
Semiconductor Corporation

muRata
Leader in Electronics

OKI

QUALCOMM

SAMSUNG

SHARP

SONY

TDK

TOSHIBA

XORX

ALTERA

AVX
Components

CATALYST

CYPRESS
TECHNOLOGY

FAIRCHILD
SEMICONDUCTOR

HOLTEK

International IOR Rectifier

LINEAR TECHNOLOGY
mitsubishi

National Semiconductor

ON Semiconductor
UN

REALTEK
Radish Semiconductor Corp.

SANYO

SHINDENGEN

SS

TECCOR
ELECTRONICS

TUNDRA

XILINX

Amphenol

Bay Linear

CIRRUS LOGIC

DALLAS

FUJITSU

IDT

intersil

MAXIM

molex

NEC

Panasonic

RENESAS

SII
Silico Instruments Inc.

SIEMENS

ST

TEXAS INSTRUMENTS

VISHAY

ZETEX
SEMICONDUCTORS



гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>