


	1	2	3	4	5	6	7																																																																															
A	 CABLE WHITE PRINT HI-SPEED USB Revision 2.0 SHIELDED 28AWG/1P+24AWG/2C E189529 AWM STYLE 2725 80° C 30V VW-1							A																																																																														
B								B																																																																														
C								C																																																																														
D	PIN ASSIGNMENT: <table><tr><td>P1</td><td></td><td>P2</td></tr><tr><td>1</td><td>RED</td><td>1</td></tr><tr><td>2</td><td>WHITE</td><td>2</td></tr><tr><td>3</td><td>GREEN</td><td>3</td></tr><tr><td>4</td><td>BLACK</td><td>4</td></tr><tr><td>SHELL</td><td>DRAIN+BRAID</td><td>SHELL</td></tr></table>							P1		P2	1	RED	1	2	WHITE	2	3	GREEN	3	4	BLACK	4	SHELL	DRAIN+BRAID	SHELL	D																																																												
P1		P2																																																																																				
1	RED	1																																																																																				
2	WHITE	2																																																																																				
3	GREEN	3																																																																																				
4	BLACK	4																																																																																				
SHELL	DRAIN+BRAID	SHELL																																																																																				
E	<table><tr><th>P/N</th><th>L(mm)</th><th>tolerance</th></tr><tr><td>AK672/2-1-BLACK-R</td><td>1000</td><td>±30</td></tr><tr><td>AK672/2-2-BLACK-R</td><td>2000</td><td>±50</td></tr><tr><td>AK672/2-3-BLACK-R</td><td>3000</td><td>±50</td></tr><tr><td>AK672/2-5-BLACK-R</td><td>5000</td><td>±50</td></tr></table>							P/N	L(mm)	tolerance	AK672/2-1-BLACK-R	1000	±30	AK672/2-2-BLACK-R	2000	±50	AK672/2-3-BLACK-R	3000	±50	AK672/2-5-BLACK-R	5000	±50	E																																																															
P/N	L(mm)	tolerance																																																																																				
AK672/2-1-BLACK-R	1000	±30																																																																																				
AK672/2-2-BLACK-R	2000	±50																																																																																				
AK672/2-3-BLACK-R	3000	±50																																																																																				
AK672/2-5-BLACK-R	5000	±50																																																																																				
F	Electrical test: 1.100% short,open,miswire test 2.Conduct resistance:2 Ohm(max) 3.Insulation resistance:10Mohm(min) 4.dielectric test:DC 300V							F																																																																														
G	<table><tr><th>NO.</th><th>NAME</th><th>Q'TY</th><th colspan="4">SPECIFICATION</th></tr><tr><td>⑧</td><td>PE BAG</td><td>1/10</td><td colspan="4">CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS".</td></tr><tr><td>⑦</td><td>PE BAG</td><td>1</td><td colspan="4">CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA"+"1PC".</td></tr><tr><td>⑥</td><td>TIE</td><td>2</td><td colspan="4">BLACK L=100mm</td></tr><tr><td>⑤</td><td>OUT JACKET</td><td>6g</td><td colspan="4">BLACK PVC-40P (MOULD NO:WM-65)</td></tr><tr><td>④</td><td>OUT JACKET</td><td>6g</td><td colspan="4">BLACK PVC-40P (MOULD NO:WM-40)</td></tr><tr><td>③</td><td>CABLE</td><td>1</td><td colspan="4">BLACK USB2.0 UL2725 28#/1P+24#/2C+AEB OD:4.7mm</td></tr><tr><td>②</td><td>CONN</td><td>1set</td><td colspan="4">USB2.0 B MALE SHELL:NICKEL PIN G/F 3PCS TYPE INSULATOR COLOR:WHITE</td></tr><tr><td>①</td><td>CONN</td><td>1set</td><td colspan="4">USB2.0 A MALE SHELL:NICKEL PIN G/F 4PCS TYPE INSULATOR COLOR:WHITE</td></tr></table>							NO.	NAME	Q'TY	SPECIFICATION				⑧	PE BAG	1/10	CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS".				⑦	PE BAG	1	CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA"+"1PC".				⑥	TIE	2	BLACK L=100mm				⑤	OUT JACKET	6g	BLACK PVC-40P (MOULD NO:WM-65)				④	OUT JACKET	6g	BLACK PVC-40P (MOULD NO:WM-40)				③	CABLE	1	BLACK USB2.0 UL2725 28#/1P+24#/2C+AEB OD:4.7mm				②	CONN	1set	USB2.0 B MALE SHELL:NICKEL PIN G/F 3PCS TYPE INSULATOR COLOR:WHITE				①	CONN	1set	USB2.0 A MALE SHELL:NICKEL PIN G/F 4PCS TYPE INSULATOR COLOR:WHITE				G															
NO.	NAME	Q'TY	SPECIFICATION																																																																																			
⑧	PE BAG	1/10	CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS".																																																																																			
⑦	PE BAG	1	CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA"+"1PC".																																																																																			
⑥	TIE	2	BLACK L=100mm																																																																																			
⑤	OUT JACKET	6g	BLACK PVC-40P (MOULD NO:WM-65)																																																																																			
④	OUT JACKET	6g	BLACK PVC-40P (MOULD NO:WM-40)																																																																																			
③	CABLE	1	BLACK USB2.0 UL2725 28#/1P+24#/2C+AEB OD:4.7mm																																																																																			
②	CONN	1set	USB2.0 B MALE SHELL:NICKEL PIN G/F 3PCS TYPE INSULATOR COLOR:WHITE																																																																																			
①	CONN	1set	USB2.0 A MALE SHELL:NICKEL PIN G/F 4PCS TYPE INSULATOR COLOR:WHITE																																																																																			
H	RoHS compliant Unit:mm <table><tr><td>Scale</td><td>FREE</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>11.02.2014</td><td>Joanna</td></tr><tr><td>X.X</td><td></td><td></td><td></td><td></td><td></td><td>Approved</td><td>11.02.2014</td><td>Joanna</td></tr><tr><td>X.XX</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>X.XXX</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>X.°</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>⑩</td><td>Drawn</td><td>11.02.2014</td><td>Joanna</td><td colspan="3" rowspan="2"> ASSMANN WSW components </td></tr><tr><td>Angle</td><td>TOL</td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td></tr></table>							Scale	FREE					Date	Name	Customer-No.	TOLERANCE						Drawn	11.02.2014	Joanna	X.X						Approved	11.02.2014	Joanna	X.XX									X.XXX									DIM	TOL								X.°											⑩	Drawn	11.02.2014	Joanna	ASSMANN WSW components			Angle	TOL	Id.	Modification	Date	Name	H
Scale	FREE					Date	Name	Customer-No.																																																																														
TOLERANCE						Drawn	11.02.2014	Joanna																																																																														
X.X						Approved	11.02.2014	Joanna																																																																														
X.XX																																																																																						
X.XXX																																																																																						
DIM	TOL																																																																																					
X.°																																																																																						
		⑩	Drawn	11.02.2014	Joanna	ASSMANN WSW components																																																																																
Angle	TOL	Id.	Modification	Date	Name																																																																																	
	1	2	3	4	5	6	7																																																																															



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>