


	1	2	3	4	5	6	7																																																																									
A								A																																																																								
B	CABLE WHITE PRINT HI-SPEED USB Revision 2.0 SHIELDED 28AWG/1P+24AWG/2C E189529 AWM STYLE 2725 80° C 30V VW-1							B																																																																								
C	PIN ASSIGNMENT: <table data-bbox="165 573 627 865"><tr><th>P1</th><th></th><th>P2</th></tr><tr><td>1</td><td>RED</td><td>1</td></tr><tr><td>2</td><td>WHITE</td><td>2</td></tr><tr><td>3</td><td>GREEN</td><td>3</td></tr><tr><td>4</td><td>BLACK</td><td>4</td></tr><tr><td>SHELL</td><td>DRAIN+BRAID</td><td>SHELL</td></tr></table>							P1		P2	1	RED	1	2	WHITE	2	3	GREEN	3	4	BLACK	4	SHELL	DRAIN+BRAID	SHELL	C																																																						
P1		P2																																																																														
1	RED	1																																																																														
2	WHITE	2																																																																														
3	GREEN	3																																																																														
4	BLACK	4																																																																														
SHELL	DRAIN+BRAID	SHELL																																																																														
D	<table data-bbox="1121 550 1730 786"><tr><th>P/N</th><th>L(mm)</th><th>tolerance</th></tr><tr><td>AK672/2-1-BLACK-R</td><td>1000</td><td>±30</td></tr><tr><td>AK672/2-2-BLACK-R</td><td>2000</td><td>±50</td></tr><tr><td>AK672/2-3-BLACK-R</td><td>3000</td><td>±50</td></tr><tr><td>AK672/2-5-BLACK-R</td><td>5000</td><td>±50</td></tr></table>							P/N	L(mm)	tolerance	AK672/2-1-BLACK-R	1000	±30	AK672/2-2-BLACK-R	2000	±50	AK672/2-3-BLACK-R	3000	±50	AK672/2-5-BLACK-R	5000	±50	D																																																									
P/N	L(mm)	tolerance																																																																														
AK672/2-1-BLACK-R	1000	±30																																																																														
AK672/2-2-BLACK-R	2000	±50																																																																														
AK672/2-3-BLACK-R	3000	±50																																																																														
AK672/2-5-BLACK-R	5000	±50																																																																														
E	<table data-bbox="848 818 2003 1141"><tr><td>⑧</td><td>PE BAG</td><td>1/10</td><td>CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS".</td></tr><tr><td>⑦</td><td>PE BAG</td><td>1</td><td>CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA"+"1PC".</td></tr><tr><td>⑥</td><td>TIE</td><td>2</td><td>BLACK L=100mm</td></tr><tr><td>⑤</td><td>OUT JACKET</td><td>6g</td><td>BLACK PVC-40P (MOULD NO:WM-65)</td></tr><tr><td>④</td><td>OUT JACKET</td><td>6g</td><td>BLACK PVC-40P (MOULD NO:WM-40)</td></tr><tr><td>③</td><td>CABLE</td><td>1</td><td>BLACK USB2.0 UL2725 28#/1P+24#/2C+AEB OD:4.7mm</td></tr><tr><td>②</td><td>CONN</td><td>1set</td><td>USB2.0 B MALE SHELL:NICKEL PIN G/F 3PCS TYPE INSULATOR COLOR:WHITE</td></tr><tr><td>①</td><td>CONN</td><td>1set</td><td>USB2.0 A MALE SHELL:NICKEL PIN G/F 4PCS TYPE INSULATOR COLOR:WHITE</td></tr><tr><td>NO.</td><td>NAME</td><td>Q'TY</td><td>SPECIFICATION</td></tr></table>							⑧	PE BAG	1/10	CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS".	⑦	PE BAG	1	CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA"+"1PC".	⑥	TIE	2	BLACK L=100mm	⑤	OUT JACKET	6g	BLACK PVC-40P (MOULD NO:WM-65)	④	OUT JACKET	6g	BLACK PVC-40P (MOULD NO:WM-40)	③	CABLE	1	BLACK USB2.0 UL2725 28#/1P+24#/2C+AEB OD:4.7mm	②	CONN	1set	USB2.0 B MALE SHELL:NICKEL PIN G/F 3PCS TYPE INSULATOR COLOR:WHITE	①	CONN	1set	USB2.0 A MALE SHELL:NICKEL PIN G/F 4PCS TYPE INSULATOR COLOR:WHITE	NO.	NAME	Q'TY	SPECIFICATION	E																																				
⑧	PE BAG	1/10	CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS".																																																																													
⑦	PE BAG	1	CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA"+"1PC".																																																																													
⑥	TIE	2	BLACK L=100mm																																																																													
⑤	OUT JACKET	6g	BLACK PVC-40P (MOULD NO:WM-65)																																																																													
④	OUT JACKET	6g	BLACK PVC-40P (MOULD NO:WM-40)																																																																													
③	CABLE	1	BLACK USB2.0 UL2725 28#/1P+24#/2C+AEB OD:4.7mm																																																																													
②	CONN	1set	USB2.0 B MALE SHELL:NICKEL PIN G/F 3PCS TYPE INSULATOR COLOR:WHITE																																																																													
①	CONN	1set	USB2.0 A MALE SHELL:NICKEL PIN G/F 4PCS TYPE INSULATOR COLOR:WHITE																																																																													
NO.	NAME	Q'TY	SPECIFICATION																																																																													
F	Electrical test: 1.100% short,open,miswire test 2.Conduct resistance:2 Ohm(max) 3.Insulation resistance:10Mohm(min) 4.dielectric test:DC 300V							F																																																																								
G	RoHS compliant Unit:mm <table data-bbox="535 1141 2003 1476"><tr><th>Scale</th><th>FREE</th><th colspan="3"></th><th>Date</th><th>Name</th><th>Customer-No.</th></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td>Drawn</td><td>11.02.2014</td><td>Joanna</td></tr><tr><td>X.X</td><td></td><td></td><td></td><td></td><td>Approved</td><td>11.02.2014</td><td>Joanna</td></tr><tr><td>X.XX</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>X.XXX</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>X.°</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>⑩</td><td>Drawn</td><td>11.02.2014</td><td>Joanna</td><td></td><td></td></tr><tr><td>Angle</td><td>TOL</td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td></td><td></td></tr></table> 							Scale	FREE				Date	Name	Customer-No.	TOLERANCE					Drawn	11.02.2014	Joanna	X.X					Approved	11.02.2014	Joanna	X.XX								X.XXX								DIM	TOL							X.°										⑩	Drawn	11.02.2014	Joanna			Angle	TOL	Id.	Modification	Date	Name			G
Scale	FREE				Date	Name	Customer-No.																																																																									
TOLERANCE					Drawn	11.02.2014	Joanna																																																																									
X.X					Approved	11.02.2014	Joanna																																																																									
X.XX																																																																																
X.XXX																																																																																
DIM	TOL																																																																															
X.°																																																																																
		⑩	Drawn	11.02.2014	Joanna																																																																											
Angle	TOL	Id.	Modification	Date	Name																																																																											
H	<table data-bbox="1583 1313 2003 1476"><tr><td>Drawing-No.</td><td>ASS 7067 CA</td><td>rev00</td></tr><tr><td>Replace</td><td></td><td>Sheet</td></tr></table>							Drawing-No.	ASS 7067 CA	rev00	Replace		Sheet	H																																																																		
Drawing-No.	ASS 7067 CA	rev00																																																																														
Replace		Sheet																																																																														
	1	2	3	4	5	6	7																																																																									



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>