


2.0W Surface Mount Zener Diodes

Features

- Low profile package
- Built-in strain relief
- Low inductance
- Complete voltage range 6.8 to 51V
- Typical I_D less than 1.0 μ A above 11V
- High temperature soldering guaranteed: 260°C/10 seconds at terminals
- Low leakage current
- RoHS compliant



**SMB
(DO-214AA)**



Mechanical Data

Case:	JEDEC SMB (DO-214AA), molded plastic over passivated junction
Epoxy:	Plastic package has UL flammability classification 94V-0
Terminals:	Solder plated, solderable per MIL-STD-750, Method 2026
Polarity:	Color band denotes cathode end
Weight:	0.003 ounce, 0.093 gram

Maximum Ratings ($T_{Ambient}=25^{\circ}\text{C}$ unless noted otherwise)

Symbol	Description	Value	Unit	Conditions
P_D	Peak Pulse Power Dissipation on $T_A=50^{\circ}\text{C}$	2.0	W	Note
	Derate above 70°C	24	mW/ $^{\circ}\text{C}$	
I_{FSM}	Peak Forward Surge Current	15	A	8.3ms single half sine-wave superimposed on rated load (JEDEC Method)
T_J, T_{STG}	Operating Junction and Storage Temperature Range	-55 to 150	$^{\circ}\text{C}$	

Note: Mounted on 5.0mm² (.013mm thick) land areas.

2.0W Surface Mount Zener Diodes

Z2SMB6.8B - Z2SMB51B

Electrical Characteristics ($T_{Ambient}=25^{\circ}C$ unless noted otherwise)


Part NO.	Marking Code	Nominal Zener Voltage @ I_{ZT}				Max. Zener Impedance (Ω)			Max. Reverse Leakage Current I_R @ V_R	
		$V_Z(V)$			$I_{ZT}(mA)$	$Z_{ZT} @ I_{ZT}$	$Z_{ZK} @ I_{ZK}$	$I_{ZK}(mA)$	$I_R(\mu A)$	$V_R(V)$
		Nom.	Min.	Max.						
Z2SMB6.8B	2006	6.8	6.46	7.14	73.5	2	700	1.00	5.0	4.0
Z2SMB7.5B	2007	7.5	7.13	7.88	66.5	2	700	0.50	5.0	5.0
Z2SMB8.2B	2008	8.2	7.79	8.61	61.0	2	700	0.50	5.0	6.0
Z2SMB8.7B	20A8	8.7	8.27	9.14	58.0	2	700	0.50	4.0	6.6
Z2SMB9.1B	2009	9.1	8.65	9.56	55.0	3	700	0.50	3.0	7.0
Z2SMB10B	2010	10	9.50	10.50	50.0	4	700	0.25	3.0	7.6
Z2SMB11B	2011	11	10.45	11.55	45.5	4	700	0.25	1.0	8.4
Z2SMB12B	2012	12	11.40	12.60	41.5	5	700	0.25	1.0	9.1
Z2SMB13B	2013	13	12.35	13.65	38.5	5	700	0.25	0.5	9.9
Z2SMB14B	2014	14	13.30	14.70	35.7	6	700	0.25	0.5	10.6
Z2SMB15B	2015	15	14.25	15.75	33.4	7	700	0.25	0.5	11.4
Z2SMB16B	2016	16	15.20	16.80	31.2	8	700	0.25	0.5	12.2
Z2SMB17B	2017	17	16.15	17.85	29.4	9	750	0.25	0.5	13.0
Z2SMB18B	2018	18	17.10	18.90	27.8	10	750	0.25	0.5	13.7
Z2SMB19B	2019	19	18.05	19.95	26.3	11	750	0.25	0.5	14.4
Z2SMB20B	2020	20	19.00	21.00	25.0	11	750	0.25	0.5	15.2
Z2SMB22B	2022	22	20.90	23.10	22.8	12	750	0.25	0.5	16.7
Z2SMB24B	2024	24	22.80	25.20	20.8	13	750	0.25	0.5	18.2
Z2SMB25B	2025	25	23.75	26.25	20.0	14	750	0.25	0.5	19.0
Z2SMB27B	2027	27	25.65	28.35	18.5	18	750	0.25	0.5	20.6
Z2SMB28B	2028	28	26.60	29.40	17.0	18	750	0.25	0.5	21.3
Z2SMB30B	2030	30	28.50	31.50	16.6	20	1000	0.25	0.5	22.5
Z2SMB33B	2033	33	31.35	34.65	15.1	23	1000	0.25	0.5	25.1
Z2SMB36B	2036	36	34.20	37.80	13.9	25	1000	0.25	0.5	27.4
Z2SMB39B	2039	39	37.05	40.95	12.8	30	1000	0.25	0.5	29.7
Z2SMB43B	2043	43	40.85	45.15	11.6	35	1500	0.25	0.5	32.7
Z2SMB47B	2047	47	44.65	49.35	10.6	40	1500	0.25	0.5	35.8
Z2SMB51B	2051	51	48.45	53.55	9.8	48	1500	0.25	0.5	38.8

Note: Suffix "B" indicates $\pm 5\%$ tolerance.


2.0W Surface Mount Zener Diodes

Z2SMB6.8B - Z2SMB51B

Typical Characteristics Curves



Dimensions in inch (mm)




SMB (DO-214AA)

TAITRON
components incorporated

2.0W Surface Mount Zener Diodes

Z2SMB6.8B - Z2SMB51B

Marking Information:



How to contact us:

US HEADQUARTERS

28040 WEST HARRISON PARKWAY, VALENCIA, CA 91355-4162

Tel: (800) TAITRON (800) 824-8766 (661) 257-6060

Fax: (800) TAITFAX (800) 824-8329 (661) 257-6415

Email: taitron@taitroncomponents.com

Http://www.taitroncomponents.com

TAITRON COMPONENTS MEXICO, S.A .DE C.V.

BOULEVARD CENTRAL 5000 INTERIOR 5 PARQUE INDUSTRIAL ATITALAQUIA, HIDALGO C.P.
42970 MEXICO

Tel: +52-55-5560-1519

Fax: +52-55-5560-2190

TAITRON COMPONENTS INCORPORATED REPRESENTAÇÕES DO BRASIL LTDA

RUA DOMINGOS DE MORAIS, 2777, 2.ANDAR, SALA 24 SAÚDE - SÃO PAULO-SP 04035-001 BRAZIL

Tel: +55-11-5574-7949

Fax: +55-11-5572-0052

TAITRON COMPONENTS INCORPORATED, SHANGHAI REPRESENTATIVE OFFICE

METROBANK PLAZA, 1160 WEST YAN' AN ROAD, SUITE 1503, SHANGHAI, 200052, CHINA

Tel: +86-21-5424-9942

Fax: +86-21-5424-9931



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>