





1 FINISH: SOLDER TAILS TIN PLATE 0.0051 [0.000200] MIN. THICK. CONTACT AREA 0.00076 [0.000030] MIN. HARD GOLD OVER 0.00127-0.00254 [0.000050-.000100] LOW STRESS NICKEL.

2 CHARACTERS 2.5 [0.10] HIGH, COLOR BLACK.



P.C. BOARD HOLE LAYOUT
SWITCH SIDE

SUPERSEDED BY 1-435167-1

SWITCH POSITION															
COMMON TO		0	1	2	3	4	5	6	7	8	9	10	11	12	13
	1		●		●		●		●		●		●		●
	2			●	●			●	●			●	●		●
	4					●	●	●	●				●	●	●
	8									●	●	●	●	●	●

435167-1

PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm [INCHES]

MATERIAL
CASE: THERMOPLASTIC, COLOR
NATURAL
CONTACT: BERYLLIUM COPPER

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±-
1 PLC ±-
2 PLC ±0.5 [0.02]
3 PLC ±-
4 PLC ±-
ANGLES ±0°30'

FINISH
1

DWN
R. TALLEY
8-7-91

CHK
R. MILLER
8-7-91

APVD
D. HUFFMAN
8-7-91

PRODUCT SPEC
108-7514

APPLICATION SPEC
114-7005

WEIGHT
-

CUSTOMER DRAWING

AMP
AMP Incorporated
Harrisburg, PA 17105-3608

NAME
ROTARY SWITCH ASSY,
16 POSN, 6000 SERIES
HEXADECIMAL

SIZE
A3

CAGE CODE
00779


DRAWING NO
C- 435167

RESTRICTED TO
-


SCALE
2:1

SHEET
1 OF 4

REV
L



- 1 FINISH: SOLDER TAILS TIN PLATE 0.0051 [.000200] MIN. THICK. CONTACT AREA 0.00076 [.000030] MIN. HARD GOLD OVER 0.00127-0.00254 [.000050-.000100] LOW STRESS NICKEL.
- 2 CHARACTERS 2.5 [.10] HIGH, COLOR BLACK.



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

, 19 .

© COPYRIGHT 19

BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC

	DIST
--	------

REVISIONS

FT

69

P

LTR




DESCRIPTION

DATE _____

DWN


APVD


SEE SHEET 1



P.C. BOARD HOLE LAYOUT
SWITCH SIDE

		SWITCH POSITION															
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
COMMON TO	1		●		●		●		●		●		●		●		●
	2			●	●			●	●			●	●			●	●
	4					●	●	●	●					●	●	●	●
	8									●	●	●	●	●	●	●	●


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY	8-7-91	 AMP Incorporated Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R. MILLER	8-7-91		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. HUFFMAN	8-9-91	NAME ROTARY SWITCH ASSY, 16 POSN, 6000 SERIES HEXADECIMAL	
		PRODUCT SPEC 108-7514	SIZE A3		
0 PLC ±- 1 PLC ±- 2 PLC ±0.5 [.02] 3 PLC ±- 4 PLC ±- ANGLES ±0°30'		APPLICATION SPEC 114-7005	CAGE CODE 00779		DRAWING NO C- 435167
MATERIAL 	FINISH 	WEIGHT -	RESTRICTED TO -		REV -
CUSTOMER DRAWING			SCALE 2:1	SHEET 3 OF 4	REV -



1 MATERIAL; CASE-THERMOPLASTIC, COLOR NATURAL.
WHEEL-THERMOPLASTIC, COLOR BLACK.
CONTACT-BERYLLIUM COPPER.

△ 2 FINISH: SOLDER TAILS TIN PLATE 0.0051 [0.000200]
MIN. THICK. CONTACT AREA 0.00076 [0.000030]
MIN. HARD GOLD OVER 0.00127-0.00254
[0.000050-.000100] LOW STRESS NICKEL.

△ CHARACTERS 2.3 [.09] HIGH, COLOR WHITE.



P.C. BOARD HOLE LAYOUT
SWITCH SIDE

SUPERSEDED BY 2-435167-1

		SWITCH POSITION															
		0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
COMMON TO	1		●		●		●		●		●		●		●		●
	2			●	●			●	●			●	●			●	●
	4					●	●	●	●					●	●	●	●
	8									●	●	●	●	●	●	●	●

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY		8-7-91		AMP		AMP Incorporated			
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK R. MILLER		8-7-91		Harrisburg, PA 17105-3608			
		1 PLC ±-		APVD D. HUFFMAN		8-9-91		NAME		ROTARY SWITCH ASSY,	
		2 PLC ±-		PRODUCT SPEC						16 POSN, 6000 SERIES	
		3 PLC ±-		108-7514						HEXADECIMAL	
		4 PLC ±-		APPLICATION SPEC							
		ANGLES ±0°30'		114-7005				SIZE		RESTRICTED TO	
MATERIAL		FINISH		WEIGHT				CAGE CODE		DRAWING NO	
1		2		-		A3		00779		C- 435167	
CUSTOMER DRAWING								SCALE		SHEET	
								2:1		4 OF 4	
										REV	



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.



Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>