






REF. -50 OPT. SCREW
(WHERE APPLICABLE)




4 CIRCUIT SHOWN




NOTES:

1. MATERIAL: SEE TABLE
2. FINISH: SEE TABLE
3. INCH DIMS ARE SHOWN IN BRACKETS [XXX].
4. "XX" REFERS TO THE NUMBER OF CIRCUITS.
5. ALL COMPONENTS ARE ROHS COMPLIANT.

| ITEM | QTY. | DESCRIPTION | MATERIAL | FINISH |
|---|---|---|---|---|
| 5 | XX | SCREW&WASHER, #6-32X.250, PAN, PH/SL (-50 OPT) | STEEL | ZN, CLEAR CHROMATE |
| 4 | XX | SCREW, #6-32X.250, BHD, PH/SL (-49 OPT) | BRASS | NICKEL PLATE |
| 3 | XX | SCREW, #6-32X.250, BHD, PH/SL (STD) | STEEL | ZN, CLEAR CHROMATE |
| 2 | XX | TERMINAL, PC, #6-32 | BRASS | TIN PLATE |
| 1 | 1 | INSULATOR, SR, NO MTG. | 30% G.F. PBT | BLACK |

tb_frame_B_P_ME_T
Rev. D 2004/04/02

| REV | DESCRIPTION |
|---|---|
| A | INITIAL RELEASE<br>EC NO: ETC2006-0520 2006/07/12<br>DRWN:CYORK 2006/07/13<br>CHKD:RDEROSS 2006/07/13<br>APPR:RDEROSS 2006/07/13 |

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | mm | INCH |
|---|---|---|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± .005 |
| 2 PLACES | ± 0.13 | ± .01 |
| 1 PLACE | ± 0.25 | ± --- |
| ANGULAR ± 2 ° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 2:1
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

| | | DATE |
|---|---|---|
| DRAWN BY | C. YORK | 2006/06/30 |
| CHECKED BY | R. DEROSS | 2006/06/30 |
| APPROVED BY | R. DEROSS | 2006/06/30 |

TITLE: 9.53MM [.375] SR BTS ASSY, PC TERM. WITHOUT MTG. ENDS, LOW PROF.

MOLEX INCORPORATED

MATERIAL NO.: SEE SHEET 2
DOCUMENT NO.: SD-38710-005
SHEET NO.: 1 OF 2
SIZE: B

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

| NO. OF CIRCUITS | DIM. "A" | | DIM. "B" | | ASSEMBLY MATERIAL NO. (STANDARD) | ASSEMBLY MATERIAL NO. (-49 OPT) | ASSEMBLY MATERIAL NO. (-50 OPT) |
|---|---|---|---|---|---|---|---|
| | mm | in | mm | in | | | |
| 02 | 21.1 | 0.83 | 9.53 | 0.375 | 387106302 | 387106902 | 387107502 |
| 03 | 30.7 | 1.21 | 19.05 | 0.750 | 387106303 | 387106903 | 387107503 |
| 04 | 40.2 | 1.58 | 28.58 | 1.125 | 387106304 | 387106904 | 387107504 |
| 05 | 49.7 | 1.96 | 38.10 | 1.500 | 387106305 | 387106905 | 387107505 |
| 06 | 59.2 | 2.33 | 47.63 | 1.875 | 387106306 | 387106906 | 387107506 |
| 07 | 68.8 | 2.71 | 57.15 | 2.250 | 387106307 | 387106907 | 387107507 |
| 08 | 78.3 | 3.08 | 66.68 | 2.625 | 387106308 | 387106908 | 387107508 |
| 09 | 87.8 | 3.46 | 76.20 | 3.000 | 387106309 | 387106909 | 387107509 |
| 10 | 97.3 | 3.83 | 85.73 | 3.375 | 387106310 | 387106910 | 387107510 |
| 11 | 106.9 | 4.21 | 95.25 | 3.750 | 387106311 | 387106911 | 387107511 |
| 12 | 116.4 | 4.58 | 104.78 | 4.125 | 387106312 | 387106912 | 387107512 |
| 13 | 125.9 | 4.96 | 114.30 | 4.500 | 387106313 | 387106913 | 387107513 |
| 14 | 135.4 | 5.33 | 123.83 | 4.875 | 387106314 | 387106914 | 387107514 |
| 15 | 145.0 | 5.71 | 133.35 | 5.250 | 387106315 | 387106915 | 387107515 |
| 16 | 154.5 | 6.08 | 142.88 | 5.625 | 387106316 | 387106916 | 387107516 |
| 17 | 164.0 | 6.46 | 152.40 | 6.000 | 387106317 | 387106917 | 387107517 |
| 18 | 173.5 | 6.83 | 161.93 | 6.375 | 387106318 | 387106918 | 387107518 |
| 19 | 183.1 | 7.21 | 171.45 | 6.750 | 387106319 | 387106919 | 387107519 |
| 20 | 192.6 | 7.58 | 180.98 | 7.125 | 387106320 | 387106920 | 387107520 |
| 21 | 202.1 | 7.96 | 190.50 | 7.500 | 387106321 | 387106921 | 387107521 |
| 22 | 211.6 | 8.33 | 200.03 | 7.875 | 387106322 | 387106922 | 387107522 |
| 23 | 221.2 | 8.71 | 209.55 | 8.250 | 387106323 | 387106923 | 387107523 |
| 24 | 230.7 | 9.08 | 219.08 | 8.625 | 387106324 | 387106924 | 387107524 |
| 25 | 240.2 | 9.46 | 228.60 | 9.000 | 387106325 | 387106925 | 387107525 |
| 26 | 249.7 | 9.83 | 238.13 | 9.375 | 387106326 | 387106926 | 387107526 |

SEE SHEET 1
EC NO: ETC2006-0520 2006/07/12
DRWN:CYORK 2006/07/13
CH'KD:RDEROSS
APPR:RDEROSS 2006/07/13
DESCRIPTION
REV
A

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | mm | INCH |
|---|---|---|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± .005 |
| 2 PLACES | ± 0.13 | ± .01 |
| 1 PLACE | ± 0.25 | ± --- |
| ANGULAR ± 2 ° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 2:1
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY: C. YORK DATE: 2006/06/30
CHECKED BY: R. DEROSS DATE: 2006/06/30
APPROVED BY: R. DEROSS DATE: 2006/06/30

TITLE: 9.53MM [.375] SR BTS ASSY, PC TERM. WITHOUT MTG. ENDS, LOW PROF.

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SD-38710-005
SHEET NO.: 2 OF 2
SIZE: B

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

TradeElectronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

## О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

**Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.**

## Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Trade Electronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

## Перечень производителей, продукцию которых мы поставляем на российский рынок



Trade Electronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

http://www.tradeelectronics.ru/