





4		3		2		1																																																																																																																																								
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC		DIST		REVISIONS																																																																																																																																						
© COPYRIGHT - By -		ALL RIGHTS RESERVED.		AF		50		P	LTR	DESCRIPTION	DATE	DWN	APVD																																																																																																																																	
									R1	REVISED PER ECO-11-004917	11MAR11	RK	HMR																																																																																																																																	
1 PRODUCT PROVIDED IN STRIP FORM ON REELS; BREAKS MAY BE PRESENT																																																																																																																																														
4 WIRE SIZE IS 0.2-0.6mm sq. [400 & 1300] CMA CRIMP WIDTH:: 1.78 [.070] , F TYPE CRIMP HEIGHT ±0.05 [.002] =(TOTAL CMA + 4700) / 112,100 FOR APPLICATOR INFO CALL, 1-800-722-1111 FOR PRODUCT INFO CALL: 1-800-522-6752																																																																																																																																														
5 WIRE RANGE FOR NEW APPLICATIONS: 400-1300 CMA (WIRE RANGE APPROVED FOR APPLICATIONS IMPLEMENTED PRIOR TO 2005: 400-1600 CMA).																																																																																																																																														
																																																																																																																																														
<table><tr><td></td><td>NONE</td><td>0.41[.016] STAINLESS STEEL</td><td>62759-5</td></tr><tr><td>OBSOLETE</td><td>TIN</td><td>0.41[.016] STEEL</td><td>62759-4</td></tr><tr><td>OBSOLETE</td><td>NICKEL</td><td>0.41[.016] CRS</td><td>62759-3</td></tr><tr><td></td><td>TIN</td><td>.041[.016] BRASS</td><td>62759-2</td></tr><tr><td></td><td>NONE</td><td>.041[.016] BRASS</td><td>62759-1</td></tr><tr><td></td><td>FINISH</td><td>MATERIAL</td><td>P/N</td></tr></table>															NONE	0.41[.016] STAINLESS STEEL	62759-5	OBSOLETE	TIN	0.41[.016] STEEL	62759-4	OBSOLETE	NICKEL	0.41[.016] CRS	62759-3		TIN	.041[.016] BRASS	62759-2		NONE	.041[.016] BRASS	62759-1		FINISH	MATERIAL	P/N																																																																																																									
	NONE	0.41[.016] STAINLESS STEEL	62759-5																																																																																																																																											
OBSOLETE	TIN	0.41[.016] STEEL	62759-4																																																																																																																																											
OBSOLETE	NICKEL	0.41[.016] CRS	62759-3																																																																																																																																											
	TIN	.041[.016] BRASS	62759-2																																																																																																																																											
	NONE	.041[.016] BRASS	62759-1																																																																																																																																											
	FINISH	MATERIAL	P/N																																																																																																																																											
<table><tr><td colspan="2">THIS DRAWING IS A CONTROLLED DOCUMENT.</td><td>DWN</td><td>DK SCHRUM</td><td>9/14/90</td><td colspan="4" rowspan="4"> TE Connectivity</td></tr><tr><td colspan="2"></td><td>CHK</td><td>JR RUTH</td><td>9/24/90</td></tr><tr><td colspan="2"></td><td>APVD</td><td>R WEAVILL</td><td>9/24/90</td></tr><tr><td colspan="2"></td><td colspan="3">PRODUCT SPEC</td></tr><tr><td colspan="2">DIMENSIONS: INCHES</td><td colspan="3">TOLERANCES UNLESS OTHERWISE SPECIFIED:</td><td colspan="4">NAME</td></tr><tr><td colspan="2" rowspan="4"></td><td colspan="3">0 PLC ± -</td><td colspan="4" rowspan="4">SPLICE</td></tr><tr><td colspan="3">1 PLC ± -</td></tr><tr><td colspan="3">2 PLC ± 0.38[.015]</td></tr><tr><td colspan="3">3 PLC ± -</td></tr><tr><td colspan="2"></td><td colspan="3">4 PLC ± -</td><td colspan="4"></td></tr><tr><td colspan="2"></td><td colspan="3">ANGLES ± -</td><td colspan="4"></td></tr><tr><td colspan="2">MATERIAL</td><td colspan="3">FINISH</td><td colspan="4">SIZE</td><td>CAGE CODE</td><td>DRAWING NO</td><td>RESTRICTED TO</td></tr><tr><td colspan="2">SEE TABLE</td><td colspan="3">SEE TABLE</td><td colspan="4">114-2088</td><td>A300779</td><td>C-62759</td><td>-</td></tr><tr><td colspan="2"></td><td colspan="3"></td><td colspan="4">WEIGHT</td><td colspan="3"></td></tr><tr><td colspan="2"></td><td colspan="3"></td><td colspan="4">CUSTOMER DRAWING</td><td>SCALE</td><td>SHEET</td><td>REV</td></tr><tr><td colspan="2"></td><td colspan="3"></td><td colspan="4"></td><td>6:1</td><td>1 OF 1</td><td>R1</td></tr></table>														THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	DK SCHRUM	9/14/90	 TE Connectivity						CHK	JR RUTH	9/24/90			APVD	R WEAVILL	9/24/90			PRODUCT SPEC			DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME						0 PLC ± -			SPLICE				1 PLC ± -			2 PLC ± 0.38[.015]			3 PLC ± -					4 PLC ± -									ANGLES ± -							MATERIAL		FINISH			SIZE				CAGE CODE	DRAWING NO	RESTRICTED TO	SEE TABLE		SEE TABLE			114-2088				A300779	C-62759	-						WEIGHT												CUSTOMER DRAWING				SCALE	SHEET	REV										6:1	1 OF 1	R1
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	DK SCHRUM	9/14/90	 TE Connectivity																																																																																																																																									
		CHK	JR RUTH	9/24/90																																																																																																																																										
		APVD	R WEAVILL	9/24/90																																																																																																																																										
		PRODUCT SPEC																																																																																																																																												
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME																																																																																																																																									
		0 PLC ± -			SPLICE																																																																																																																																									
		1 PLC ± -																																																																																																																																												
		2 PLC ± 0.38[.015]																																																																																																																																												
		3 PLC ± -																																																																																																																																												
		4 PLC ± -																																																																																																																																												
		ANGLES ± -																																																																																																																																												
MATERIAL		FINISH			SIZE				CAGE CODE	DRAWING NO	RESTRICTED TO																																																																																																																																			
SEE TABLE		SEE TABLE			114-2088				A300779	C-62759	-																																																																																																																																			
					WEIGHT																																																																																																																																									
					CUSTOMER DRAWING				SCALE	SHEET	REV																																																																																																																																			
									6:1	1 OF 1	R1																																																																																																																																			
1470-19 (3/11)																																																																																																																																														



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>