



	1	2	3	4	5	6	7																																																													
A								A																																																												
B	Cable white print HI-SPEED USB Revision 2.0 SHIELDED 28AWG/1P+28AWG/2C  AWM STYLE 2725 80°C 30V VW-1							B																																																												
C								C																																																												
D	PIN ASSIGNMENT <table><tr><th>P1</th><th></th><th>P2</th></tr><tr><td>1</td><td>Red</td><td>1</td></tr><tr><td>2</td><td>White</td><td>2</td></tr><tr><td>3</td><td>Green</td><td>3</td></tr><tr><td>5</td><td>Black</td><td>4</td></tr><tr><td>SHELL</td><td>Drain+Braid</td><td>SHELL</td></tr></table>							P1		P2	1	Red	1	2	White	2	3	Green	3	5	Black	4	SHELL	Drain+Braid	SHELL	D																																										
P1		P2																																																																		
1	Red	1																																																																		
2	White	2																																																																		
3	Green	3																																																																		
5	Black	4																																																																		
SHELL	Drain+Braid	SHELL																																																																		
E	<table><tr><th>WSW P/N</th><th>Jacket color</th><th>Length(mm)</th></tr><tr><td>AK672M/2-1-GR-R</td><td>Grey</td><td>1000±30</td></tr><tr><td>AK672M/2-2-GR-R</td><td>Grey</td><td>2000±50</td></tr><tr><td>AK672M/2-3-GR-R</td><td>Grey</td><td>3000±50</td></tr><tr><td>AK672M/2-5-GR-R</td><td>Grey</td><td>5000±50</td></tr></table>							WSW P/N	Jacket color	Length(mm)	AK672M/2-1-GR-R	Grey	1000±30	AK672M/2-2-GR-R	Grey	2000±50	AK672M/2-3-GR-R	Grey	3000±50	AK672M/2-5-GR-R	Grey	5000±50	E																																													
WSW P/N	Jacket color	Length(mm)																																																																		
AK672M/2-1-GR-R	Grey	1000±30																																																																		
AK672M/2-2-GR-R	Grey	2000±50																																																																		
AK672M/2-3-GR-R	Grey	3000±50																																																																		
AK672M/2-5-GR-R	Grey	5000±50																																																																		
F	Electrical test: 100% short, open, miswire test - Conduct resistance: 2 Ohm max. - Insulator resistance: 10Mohm min. - Dielectric test: DC 300V							F																																																												
G	<table><tr><td>⑦</td><td>PE Bag</td><td>1/10</td><td>Clear size: 230x300x0.05mm Print black "MADE IN CHINA" + "10PCS"</td></tr><tr><td>⑥</td><td>PE Bag</td><td>1</td><td>Clear size: 100x200x0.05mm Print black "MADE IN CHINA"+ "1PC"</td></tr><tr><td>⑤</td><td>TIE</td><td>2</td><td>Black L=100mm</td></tr><tr><td>④</td><td>Out Jacket</td><td>12g</td><td>Grey(A-112#) PVC-50P (Mold No.: WM-40 & WM-88)</td></tr><tr><td>③</td><td>Cable</td><td>1</td><td>Grey(A-112#) USB2.0 UL2725 28#/1P+28#/2C+AEB OD:3.8mm</td></tr><tr><td>②</td><td>CONN</td><td>1</td><td>USB 2.0 A/type Male SHELL:Nickel PIN:G/F 4PCS Insulator color:White</td></tr><tr><td>①</td><td>CONN</td><td>1</td><td>USB 2.0 MINI 5P Male SHELL:Nickel PIN:G/F Insulator color: Black</td></tr><tr><td>NO.</td><td>NAME.</td><td>Q'TY</td><td>SPECIFICATION</td></tr></table>							⑦	PE Bag	1/10	Clear size: 230x300x0.05mm Print black "MADE IN CHINA" + "10PCS"	⑥	PE Bag	1	Clear size: 100x200x0.05mm Print black "MADE IN CHINA"+ "1PC"	⑤	TIE	2	Black L=100mm	④	Out Jacket	12g	Grey(A-112#) PVC-50P (Mold No.: WM-40 & WM-88)	③	Cable	1	Grey(A-112#) USB2.0 UL2725 28#/1P+28#/2C+AEB OD:3.8mm	②	CONN	1	USB 2.0 A/type Male SHELL:Nickel PIN:G/F 4PCS Insulator color:White	①	CONN	1	USB 2.0 MINI 5P Male SHELL:Nickel PIN:G/F Insulator color: Black	NO.	NAME.	Q'TY	SPECIFICATION	G																												
⑦	PE Bag	1/10	Clear size: 230x300x0.05mm Print black "MADE IN CHINA" + "10PCS"																																																																	
⑥	PE Bag	1	Clear size: 100x200x0.05mm Print black "MADE IN CHINA"+ "1PC"																																																																	
⑤	TIE	2	Black L=100mm																																																																	
④	Out Jacket	12g	Grey(A-112#) PVC-50P (Mold No.: WM-40 & WM-88)																																																																	
③	Cable	1	Grey(A-112#) USB2.0 UL2725 28#/1P+28#/2C+AEB OD:3.8mm																																																																	
②	CONN	1	USB 2.0 A/type Male SHELL:Nickel PIN:G/F 4PCS Insulator color:White																																																																	
①	CONN	1	USB 2.0 MINI 5P Male SHELL:Nickel PIN:G/F Insulator color: Black																																																																	
NO.	NAME.	Q'TY	SPECIFICATION																																																																	
H	RoHS compliant Unit: mm <table><tr><th>Scale</th><th>FREE</th><th></th><th></th><th></th><th></th><th>Date</th><th>Name</th><th>Customer-No.</th></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>09.05.2014</td><td>Amy</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>Approved</td><td>09.05.2014</td><td>Amy</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>09.05.2014</td><td>Amy</td><td colspan="3" rowspan="2"></td></tr><tr><td>Angle</td><td>TOL</td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td></tr></table>							Scale	FREE					Date	Name	Customer-No.	TOLERANCE						Drawn	09.05.2014	Amy							Approved	09.05.2014	Amy										DIM	TOL										①	Drawn	09.05.2014	Amy				Angle	TOL	Id.	Modification	Date	Name	H
Scale	FREE					Date	Name	Customer-No.																																																												
TOLERANCE						Drawn	09.05.2014	Amy																																																												
						Approved	09.05.2014	Amy																																																												
DIM	TOL																																																																			
		①	Drawn	09.05.2014	Amy																																																															
Angle	TOL	Id.	Modification	Date	Name																																																															
	1	2	3	4	5	6	7																																																													



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>