



High Performance GTL Termination Network for Socket 370 Processors

Features

- 24 terminations in a single package
- 5 chip solution for all 119 GTL terminations
- High speed termination network
- Center ground pin placement reduces ground bounce and eases board layout
- Very low cross-talk
- Saves board space and reduces assembly cost

Applications

- High Performance Servers
- High Performance Desk Top Systems
- Intel Celeron™ and Pentium™ CPUs


Application Information

High speed microprocessors demand unique, high speed bus termination. The PACGTL Termination Network provides 24 terminations per package and meets the requirements for high speed terminations. The termination resistor values are 56 or 120 ohms each. Five devices provide the necessary terminations for the 32-bit address bus, 64-bit data bus, and the control of status signals. Potential board layout solutions are included in this datasheet.

This termination network provides high performance, high reliability, and low cost through manufacturing

efficiency. The termination resistor elements are fabricated using state-of-the-art thin film manufacturing. This integrated solution is silicon-based and has the same reliability characteristics of today's microprocessor products. The thin film resistors have very high stability over temperature, over applied voltage, and over life. In addition, the QSOP (SSOP) industry standard packaging is easy to handle in manufacturing and yields high reliability similar to other semiconductor components.

STANDARD CONFIGURATION



STANDARD PART ORDERING INFORMATION

Package		Ordering Part Number
Pins	Style	Part Marking
28	QSOP	PAC560GTL
28	QSOP	PAC121GTL

When placing an order please specify desired shipping: Tubes or Tage & Reel.

All trademarks are the property of their respective holders. P/Active® is a registered trademark and PAC™ is a trademark of California Micro Devices.




STANDARD VALUES	
Resistor (R)	56Ω or 120Ω
Absolute Tolerance (R)	±5%
TCR	±150ppM
Operating Temperature Range	0°C to 70°C
Max Package Power Rating (70°C)	1W
Minimum Insulation Resistance	10,000MΩ
Cross-talk*	4%


R(Ω)	Code	Power Rating/ Resistor
56	560	100mW
120	121	40mW

RECOMMENDED LAYOUT FOR SOCKET 370 (OPTION A) FOR CELERON™ AND MENDOCINO™ CPUs

11-mil track pitch, single layer



Note: This option requires 1 metal layer in board routing for all 119 GTL termination lines.

**RECOMMENDED LAYOUT FOR SOCKET 370 (OPTION B) FOR CELERON™
AND MENDOCINO™ CPUs**

Note: This option requires 2 metal layers in board routing for all 119 GTL termination lines. Please note that the second layer only uses 6 short traces, minimizing potential interference with other traces, and also minimizing the number of vias.



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.


Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>