







13 12 11 10 9 8 7 6 42478 4 3 2 1



SECT. B-B



SECT. A-A



F2	REVISED UCR2000-0583 3/2/00 DDS
F1	REVISED ECN# UCR1999-0518 STAMBAUGH 99-2-9
F	ADDED ISO VIEW ECN U80476 WANG 9T-8-15
E	REV. GEOMETRY PER ECR #U5 .0410 11-22-94 RW
D	LOCK TAB REV. ECN #U5 0159 9-7-94 RW
C1	REVISE GEOMETRY PER ECR U4 0677 6/1/94 RW
C	REVISE PER ECR U2 1848 8/14/93 RW
B1	FINAL REL - 0002 ECN #U2 116 8-12-92 RW
B	REVISED PER ECN U11831 GEP 2-10-92 RHR
A	FINAL RELEASE ECR U1 1248 7/23/91
3	REVISED ECN #U10436 02-14-91 A.GUZIK
2	REVISED DRAWING PER ERO 2985T 4-23-90 TRM
I	X-RELEASED ERO 28513 6-23-89 COMSTOCK

2	F	
1	F2	
REV.	LTR.	REV. LTR.

DIMENSIONS SHOWN (METRIC) INCH		▽ = 0 ▼ = 0		REVISE ONLY ON CAD SYSTEM	
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± .000		TITLE		TERMINAL, PIN, .093/(2.36) DIA., CRIMP	
INCH METRIC		PART NO.		SHEET NO.	
3 PLACE ± .010 ---		L15LEJLL.		1 OF 2	
2 PLACE ± .014 ± 0.25		MOLEX INCORPORATED		DATE	
1 PLACE --- ± 0.35		60532		6/23/99	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-42478-****	
DRWG. BY GMC	CHKD. BY RHR	FILE NAME	SD42478X1	REV.	SIZE
APP'D. BY GWF	SCALE 6 : 1	UDN	UDN	CP	C

13	12	11	10	9	8	7	6	42478	4	3	2	1
PART NO.		ENG. NO.		CHARACTERISTICS								
				FINISH								
		MATERIAL		PLATING		LUBRICATION		FORM				
02-09-2611		42478-0001		A		2		N		A		
02-09-2612		42478-0002		A		2		N		B		

CHARACTERISTICS LEGEND

MATERIAL

A) BRASS

FINISH

1) NONE
2) TIN

PLATING

1) NONE
2) TIN

LUBRICATION

N) NONE

FORM

A) CHAIN
B) LOOSE

* * * *

NOTES:

1. THESE TERMINALS ARE FOR USE WITH THE .093/(2.36) SERIES HOUSINGS AND CRIMPING ON #14 TO #18 AWG WIRE. MAXIMUM ALLOWABLE INSULATION DIAMETER IS .140/(3.56).

2. CONFORMS TO PRODUCT SPECIFICATION PS-42478.

3. INSERTION FORCE OF TERMINAL INTO HOUSING: 5 LBS. MAX.

4. RETENTION (PULL FORCE) FROM HOUSING: 20 LBS. MIN.

⚠ DIMENSION FROM THE END OF THE TERMINAL TO THE END OF THE BRUSH ON THE WIRE CRIMPED INTO THE TERMINAL.

MATERIALS:

A) BRASS, ALLOY #C26000, TEMPER: SPRING, .013/(0.33) THICK.

FINISHES:

2) HOT TIN DTP, .000020/(0.0005) MINIMUM THICK.

42478

EI	SEE SHEET I	DIMENSIONS SHOWN (METRIC) INCH		▽ = 0	▼ = 0	REVISE ONLY ON CAD SYSTEM	
E	SEE SHEET I	UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°		TITLE			
BI	SEE SHEET I	INCH METRIC		TERMINAL, PIN, .093/(2.36) DIA., CRIMP			
B	SEE SHEET I	3 PLACE ± --- ± ---		MOLEX INCORPORATED			SHEET NO. 2
A	SEE SHEET I	2 PLACE ± --- ± ---		LITSE,ILL. 60532			DATE 6/29/89
2	SEE SHEET I	1 PLACE --- ± ---		SEE CHART			DRWG. NO. SD-42478-****
1	SEE SHEET I	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		FILE NAME SD42478X3			REV. CP
LTR.	REVISIONS	DRWG. BY JAS		CHKD. BY RHR		SIZE	
		APP'D. BY GWF		SCALE :		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>