







2695-NR



2695-NRP






2695 - N *

NO. OF. CIRCUITS

VOID LOCATION
SEE CHART

OPTION CODE

	RAMP	POLARIZING RIBS	MAT'L
BLANK	NO	NO	NOTE 1A
R	YES	NO	NOTE 1A
RP	YES	YES	NOTE 1A
RP-BK	YES	YES	NOTE 1B



NOTES:

- MATERIAL: A - NYLON, UL94V-0, COLOR: WHITE
B - NYLON, UL94V-0, COLOR: BLACK
- FINISH: SEE TERMINAL DRAWING
- THIS HOUSING CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-10-07.
- PACKAGING: PER PK-2695-001
- HOUSING TO BE USED WITH CRIMP TERMINAL SERIES 2759, 6459, AND 41572. PARTS MADE AFTER 4/19/2012 WILL ALSO ACCEPT 4809 AND 8088 SERIES TERMINALS. FOR USE WITH 22-30 GAUGE WIRE WITH (.157)/.062 DIAMETER MAXIMUM WIRE INSULATION.
- LAST CIRCUIT NUMBER NOT PRESENT ON 2-6 CKT AND MAY OR MAY NOT BE PRESENT ON 7-16 CKT SIZES.
- CIRCUIT NUMBER "1" AND ENGINEERING NUMBER TO APPEAR ON PARTS 3 CKTS. AND HIGHER.
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

NO. OF CKT'S.	DIM. A	DIM. B
2	(2.54+0.05) .100+0.002	(5.64) .222
3	(5.08+0.05) .200+0.002	(8.18) .322
4	(7.62+0.08) .300+0.003	(10.72) .422
5	(10.16+0.08) .400+0.003	(13.26) .522
6	(12.70+0.10) .500+0.004	(15.80) .622
7	(15.24+0.10) .600+0.004	(18.34) .722
8	(17.78+0.13) .700+0.005	(20.88) .822
9	(20.32+0.13) .800+0.005	(23.42) .922
10	(22.86+0.13) .900+0.005	(25.96) 1.022
11	(25.40+0.15) 1.000+0.006	(28.50) 1.122
12	(27.94+0.15) 1.100+0.006	(31.04) 1.222
13	(30.48+0.18) 1.200+0.007	(33.58) 1.322
14	(33.02+0.18) 1.300+0.007	(36.12) 1.422
15	(35.56+0.20) 1.400+0.008	(38.66) 1.522
16	(38.10+0.20) 1.500+0.008	(41.20) 1.622

17-40CKT OBSOLETE IEC NO: UCP2011-2220 DRAWN BY: DRWNK/PPER CHKD BY: CHYOBANDERSON APPR:FSM TH DATE: 2011/02/22 DATE: 2012/04/05	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 6:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± ---		DRAWN BY: PEREZ-ARGUET		DATE: 1988/02/25	TITLE (2.54)/100 HOUSING FOR KK CRIMP TYPE TERMINALS 2695 SERIES DRAWING	
		3 PLACES ± --- ± .005		CHECKED BY: PATEL		DATE: 1988/02/25	MOLEX INCORPORATED	
		2 PLACES ± 0.13 ± .01		APPROVED BY: LENZ		DATE: 1988/02/25	DOCUMENT NO. SD-2695	
1 PLACE ± 0.25 ± ---		ANGULAR ± 1/2°		MATERIAL NO. SEE CHART		SHEET NO. 1 OF 2		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

2	AN
1	AN
SHT.	REV.

	13	12	11	10	9	8	7	6	5	4	3	2	1																																																
J	2695-N			2695-NR			2695-NRP							J																																															
	PART NO.	ENG NO.	VOID	PART NO.	ENG NO.	VOID	PART NO.	ENG NO.	VOID																																																				
	22-01-2021	2695-2		22-01-2027	2695-2R		22-01-3027	2695-2RP																																																					
I	22-01-2031	2695-3		22-01-2037	2695-3R		22-01-3037	2695-3RP					I																																																
	22-01-2041	2695-4		22-01-2047	2695-4R		22-01-3047	2695-4RP																																																					
	22-01-2051	2695-5		22-01-2057	2695-5R		22-01-3057	2695-5RP																																																					
	22-01-2061	2695-6		22-01-2067	2695-6R		22-01-3067	2695-6RP																																																					
	22-01-2071	2695-7		22-01-2077	2695-7R		22-01-3077	2695-7RP																																																					
	22-01-2081	2695-8		22-01-2087	2695-8R		22-01-3087	2695-8RP																																																					
	22-01-2091	2695-9		22-01-2097	2695-9R		22-01-3097	2695-9RP																																																					
H	22-01-2101	2695-10		22-01-2107	2695-10R		22-01-3107	2695-10RP					H																																																
	22-01-2111	2695-11		22-01-2117	2695-11R		22-01-3117	2695-11RP																																																					
	22-01-2121	2695-12		22-01-2127	2695-12R		22-01-3127	2695-12RP																																																					
	22-01-2131	2695-13		22-01-2137	2695-13R		22-01-3137	2695-13RP																																																					
	22-01-2141	2695-14		22-01-2147	2695-14R		22-01-3147	2695-14RP																																																					
	22-01-2151	2695-15		22-01-2157	2695-15R		22-01-3157	2695-15RP																																																					
	22-01-2161	2695-16		22-01-2167	2695-16R		22-01-3167	2695-16RP																																																					
F													F																																																
E													E																																																
D													D																																																
C													C																																																
B													B																																																
A													A																																																
2695-NRP-BK <table><tr><th>PART NO.</th><th>ENG NO.</th><th>VOID</th></tr><tr><td>50-29-1557</td><td>2695-2RP-BK</td><td></td></tr><tr><td>50-29-1558</td><td>2695-3RP-BK</td><td></td></tr><tr><td>50-29-1559</td><td>2695-4RP-BK</td><td></td></tr><tr><td>50-29-1560</td><td>2695-5RP-BK</td><td></td></tr><tr><td>50-29-1561</td><td>2695-6RP-BK</td><td></td></tr><tr><td>50-29-1562</td><td>2695-7RP-BK</td><td></td></tr><tr><td>50-29-1563</td><td>2695-8RP-BK</td><td></td></tr><tr><td>50-29-1564</td><td>2695-9RP-BK</td><td></td></tr><tr><td>50-29-1565</td><td>2695-10RP-BK</td><td></td></tr><tr><td>50-29-1566</td><td>2695-11RP-BK</td><td></td></tr><tr><td>50-29-1567</td><td>2695-12RP-BK</td><td></td></tr><tr><td>50-29-1568</td><td>2695-13RP-BK</td><td></td></tr><tr><td>50-29-1569</td><td>2695-14RP-BK</td><td></td></tr><tr><td>50-29-1570</td><td>2695-15RP-BK</td><td></td></tr><tr><td>50-29-1571</td><td>2695-16RP-BK</td><td></td></tr></table>														PART NO.	ENG NO.	VOID	50-29-1557	2695-2RP-BK		50-29-1558	2695-3RP-BK		50-29-1559	2695-4RP-BK		50-29-1560	2695-5RP-BK		50-29-1561	2695-6RP-BK		50-29-1562	2695-7RP-BK		50-29-1563	2695-8RP-BK		50-29-1564	2695-9RP-BK		50-29-1565	2695-10RP-BK		50-29-1566	2695-11RP-BK		50-29-1567	2695-12RP-BK		50-29-1568	2695-13RP-BK		50-29-1569	2695-14RP-BK		50-29-1570	2695-15RP-BK		50-29-1571	2695-16RP-BK	
PART NO.	ENG NO.	VOID																																																											
50-29-1557	2695-2RP-BK																																																												
50-29-1558	2695-3RP-BK																																																												
50-29-1559	2695-4RP-BK																																																												
50-29-1560	2695-5RP-BK																																																												
50-29-1561	2695-6RP-BK																																																												
50-29-1562	2695-7RP-BK																																																												
50-29-1563	2695-8RP-BK																																																												
50-29-1564	2695-9RP-BK																																																												
50-29-1565	2695-10RP-BK																																																												
50-29-1566	2695-11RP-BK																																																												
50-29-1567	2695-12RP-BK																																																												
50-29-1568	2695-13RP-BK																																																												
50-29-1569	2695-14RP-BK																																																												
50-29-1570	2695-15RP-BK																																																												
50-29-1571	2695-16RP-BK																																																												
SEE SHEET 1 EC NO: UCP2011-2220 2011/02/22 DRAWN:MKIPPER CHKD:ANDERSON APPR:FSM LTH 2012/04/05 QUALITY SYMBOLS ▽=0 ▽=0 ▽=0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± --- ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM/IN DRAWN BY DATE PEREZ-ARGUET 1988/02/25 CHECKED BY DATE PATEL 1988/02/25 APPROVED BY DATE LENZ 1988/02/25 MATERIAL NO. SEE CHART SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION SCALE --- INCH TITLE (2.54)/.100 HOUSING FOR KK CRIMP TYPE TERMINALS 2695 SERIES DRAWING molex MOLEX INCORPORATED DOCUMENT NO. SD-2695 SHEET NO. 2 OF 2 THIRD ANGLE PROJECTION																																																													
tb_frame_C_P_ME_T Rev. F 2009/06/18	12	11	10	9	8	7	6	5	4	3	2	1																																																	



О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок





Trade Electronics.ru

гарантия бесперебойности производства и
качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>